


365-118

1000 U.S. PTO
09/904044
09/12/81

427	256	Subclass
Class	Issue Classification	



PATENT NUMBER

U.S. UTILITY Patent Application

SCANNED *MT AS 200 LR* O.I.P.E. PATENT DATE

APPLICATION NO. 09/904044	CONT/PRIOR D F	CLASS 427	SUBCLASS 256	ART UNIT 1762	EXAMINER <i>Parker</i>
------------------------------	-------------------	--------------	-----------------	------------------	---------------------------

APPLICANTS Richard Bourdages

TITLE Pigment formulation and its method of application to a multi-filamentous net or mesh to produce a one-sided image and the finished product

PTO-2040
12/89

ISSUING CLASSIFICATION									
ORIGINAL			CROSS REFERENCE(S)						
CLASS	SUBCLASS		CLASS	SUBCLASS (ONE SUBCLASS PER BLOCK)					
427	256		427	282	288	428			
INTERNATIONAL CLASSIFICATION			428	195	245	262			
B05D	1/28		160	345					
B05D	1/32								
D03D	25/00								

☐ Continued on Issue Slip inside File Jacket

<input type="checkbox"/> TERMINAL DISCLAIMER <input type="checkbox"/> The term of this patent subsequent to _____ (date) has been disclaimed. <input type="checkbox"/> The term of this patent shall not extend beyond the expiration date of U.S. Patent. No. _____	DRAWINGS Sheets Drwg. <u>0</u> Figs. Drwg. <u>0</u> Print Fig. <u>—</u>			CLAIMS ALLOWED Total Claims <u>8</u> Print Claim for O.G. <u>1</u>	
	_____ (Assistant Examiner) (Date)			NOTICE OF ALLOWANCE MAILED <u>3/24/04</u>	
<input type="checkbox"/> The terminal _____ months of this patent have been disclaimed.	FRED J. PARKER PRIMARY EXAMINER (Primary Examiner)			ISSUE FEE Amount Due <u>\$1630.00</u> Date Paid _____	
	 (Legal Instruments Examiner)			ISSUE BATCH NUMBER	

WARNING:
The information disclosed herein may be restricted. Unauthorized disclosure may be prohibited by the United States Code Title 35, Sections 122, 181 and 368. Possession outside the U.S. Patent & Trademark Office is restricted to authorized employees and contractors only.

Form PTO-436A
(Rev. 8/89)

FILED WITH: ☐ DISK (CRF) ☐ FICHE ☐ CD-ROM
(Attached in pocket on right inside flap)

BEST AVAILABLE COPY